



CA | **CALUMINIUM**
الشركة الكندية العالمية للألومنيوم

Speed, Quality, Innovation- Always.





STANDARD PROFILES

BOX, ANGLED, TUBE, and OTHER PROFILES


We produce and manufacture all the market's standard aluminium profiles including and not limited to Box Profiles, Angled Profiles, Tube Profiles and 'U' and 'F' Profiles .

القطاعات الاساسية


قطاعات العلب والزوايا والمواسير والقطاعات الاخرى

نقوم بتصنيع ونتاج جميع قطاعات الألومنيوم الاساسية في السوق بما فى ذلك قطاعات العلب مربع، وقطاعات الزوايا ، وقطاعات المواسير ، وقطاعات F وقطاعات U

STANDARD PROFILES (ANGLED PROFILES)




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3015	15	15	0.60	0.047 kg/m
ST 3015 A	15	15	1.00	0.078 kg/m
ST 3020	20	20	0.60	0.065 kg/m
ST 3020 A	20	20	1.00	0.105 kg/m
ST 3025	25	25	0.65	0.087 kg/m
ST 3025	25	25	1.00	0.132 kg/m
ST 3030	30	30	0.65	0.103 kg/m
ST 3030 A	30	30	1.00	0.158 kg/m




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3040	40	40	0.75	0.159 kg/m
ST 3040 A	40	40	1.00	0.245 kg/m
ST 3050	50	50	0.80	0.213 kg/m
ST 3050 A	50	50	1.00	0.266 kg/m
ST 3023	30	20	2.5	0.318 kg/m
ST 3033	30	30	2.8	0.432 kg/m
ST 2040	40	20	0.70	0.110 kg/m
ST 2040 A	40	20	1.00	0.150 kg/m

STANDARD PROFILES (ANGLED PROFILES)




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3015	15	15	0.60	0.047 kg/m
ST 3015 A	15	15	1.00	0.078 kg/m
ST 3020	20	20	0.60	0.065 kg/m
ST 3020 A	20	20	1.00	0.105 kg/m
ST 3025	25	25	0.65	0.087 kg/m
ST 3025	25	25	1.00	0.132 kg/m
ST 3030	30	30	0.65	0.103 kg/m
ST 3030 A	30	30	1.00	0.158 kg/m




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3040	40	40	0.75	0.159 kg/m
ST 3040 A	40	40	1.00	0.245 kg/m
ST 3050	50	50	0.80	0.213 kg/m
ST 3050 A	50	50	1.00	0.266 kg/m
ST 3023	30	20	2.5	0.318 kg/m
ST 3033	30	30	2.8	0.432 kg/m
ST 2040	40	20	0.70	0.110 kg/m
ST 2040 A	40	20	1.00	0.150 kg/m


STANDARD PROFILES (TUBE PROFILES)




ST 4030
Weight: 0.224 KG/M




ST 4040
Weight: 0.275 KG/M




ST 4520
Weight: 0.370 KG/M



ST 4540
Weight: 0.207 KG/M




ST 4580
Weight: 0.450 KG/M




ST 4590
Weight: 0.480 KG/M


STANDARD PROFILES (U AND F PROFILES)




ST 6008
Weight: 0.051 KG/M



ST 6016
Weight: 0.105 KG/M




ST 6016 A
Weight: 0.081 KG/M




ST 6016 B
Weight: 0.078 KG/M

STANDARD PROFILES (U AND F PROFILES)




ST 7004

Weight: 0.125 KG/M




IF 136

Weight: 0.086 KG/M



IF 137

Weight: 0.130 KG/M



IF 141

Weight: 0.097 KG/M



OUR LOCATIONS


HEAD OFFICE


 6 Boutrous Ghali Street, Roxy, Heliopolis ,Cairo. Egypt.


 +202- 22588451


 +202- 22588452


FACTORY

 Lot # 164 To 169 Industrial Area Extension,
6th of October City, Giza, Egypt

 +202- 238337709 / +202- 238337710

 +202- 38313474

 info@caluminium.com

 www.caluminium.com

