



Speed, Quality, Innovation- Always.



Table of Contents

- ABOUT US

ABOUT CALUMINIUM

- OUR FACTORY

DEPARTMENTS

FACTORY FACILITIES

- ALUMINIUM PROFILES

NC- PROFILES

DECORATION PROFILES

KITCHEN PROFILES

STANDARD PROFILES

PS- PROFILES

SPECIAL PROFILES

SHUTTER PROFILES

EXPORT PROFILES

3 - 4

5 - 6

7

8 - 17

17 - 17

18 - 25

26 - 33

34 - 41

42 - 55

56 - 57

58 - 84

3 - 4

5 - 6

7

17 - 8

17 - 17

25 - 18

33 - 26

41 - 34

42 - 55

56 - 57

84 - 58

الفهرس

عن الشركة

عن كالومنيوم

عن المصنع

أقسام وإدارات المصنع

مرافق المصنع

قطاعات الألومنيوم

قطاعات - NC

قطاعات DECORATION

قطاعات مطابخ

القطاعات الأساسية

قطاعات - PS

القطاعات الخاصة

القطاعات الشطر

القطاعات التصدير



ABOUT CALUMINIUM

The Canadian Aluminium International Company,

CALUMINIUM, was established in 2005 in Egypt with direct funds from Canadian Investors. CALUMINIUM's business plan targets the market of Aluminum Extrusion and the production of Aluminum Profiles in response to the growing demands in the Egyptian local market and the international market, including and not limited to Africa, and Europe.

With access to highly-qualified professional and technical personnel, world-class machinery and equipment, and solid business and marketing strategies, CALUMINIUM is set to grow and pioneer locally and internationally with the drive to become a leader in Aluminium Extrusion and production of Aluminium Profiles.

CALUMINIUM factory is located in the City of 6th October, Egypt, on an area of 25,000 m² in the heart of the Industrial Zone.

We have started with two Extrusion lines, and have grown to 4 in under 3 years. We will continue to grow to 8 extrusion lines in the very near future, and within the next 6 months, our strategic plan includes the addition of a Powder Coating factory, and Polishing Workshop and Anodizing Lines systems. Our annual production capacity of finished and unfinished products is about 10,000 tonnes, supplying market standard profiles and special-order/custom-made profiles. Our product lines include not only Aluminium Profiles but also accessories made from Aluminium parts, including pipes, curtains, etc. Our mission is to use the state-of-the-art technology, state-of-the-practice techniques, high-quality raw material to produce best quality products for our Clients, always. CALUMINIUM management has set an ambitious expansion plan to have a reliable distribution network in the MENA region and internationally. As a first step, the establishment of CALUMINIUM branches in Kuwait and Bahrain is well underway.



نبذة عن الشركة

تأسست الشركة الكندية العالمية للألومنيوم "كالومنيوم" عام 2005 في مصر بأموال مباشرة من المستثمرين الكنديين. وبداية الانتاج 2013 بطاقة انتاجية 700 طن في الشهر كمرحلة اولى بمكبس 7 بوصة ومكبس 5 بوصة والمرحلة الثانية تهدف الى الوصول الى طاقة انتاجية 1400 طن في الشهر ب 4 مكابس وخط انودة وخط دهان بودر وخط دهان خشبي . خطة عمل كالومنيوم تستهدف سوق الالومنيوم استجابة للمطالب المتزايدة فى السوق المحلى المصرى والمنطقة الافريقية والاسواق المحيطة وكذلك على الصعيد الدولى مع امكانية الوصول الى الموظفين ذات تأهيل عالى على النحو المهنى والفنى. الأدوات والمعدات من الطراز العالمى واستراتيجيات الاعمال والتسويق تؤهل كالومنيوم لتكون رائدة فى مجال سحب الالومنيوم وانتاج قطاعات الالومنيوم فى منطقة الشرق الاوسط وشمال افريقيا





CALUMINIUM FACTORY

DEPARTMENTS

- Production Planning and Management Department
- Quality Control and Quality Assurance Department
- Costing Department
- Inventory and Control Department
- Dies Design Department
- Exporting Department
- Sales Department
- Marketing Department
- In-House Facilities Management and Construction Department
- Onsite Machinery Maintenance Department
- Human Resources Department

FACTORY HANGERS:

- Aluminium Extrusion lines:
- 4 Aluminium Extrusions with complete handling systems, two- 5" and two- 7 and 8"
- Future extension (2- more extrusions 2020, 4.5" and 9"
- Die Factory including Design Facilities, and Die Correction shop
- Material Testing Facility
- Active exporting team
- Fabrication Shop
- Anodizing Factory
- Two- Lines Powder Coating Factory
- Environmentally friendly Recycling of In-House Scrap

مصنعنا

أقسام وإدارات المصنع

أولاً : أقسام الإنتاج

- إدارة التخطيط ومراقبة الإنتاج .
- قسم المكابس .
- قسم مراقبة الجودة .
- قسم تصحيح الاسطوانات .
- قسم الانودة ومعالجة الاسطح (المرحلة الثانية) .
- قسم الدهانات (المرحلة الثانية) .
- قسم المسبك (المرحلة الثانية) .
- معمل اختبار وتحليل المواد (المرحلة الثانية) .
- قسم التفتيش النهائي .
- قسم مخزن الإنتاج التام .
- قسم المعالجة الحرارية .
- قسم تصميم وتصنيع الاسطوانات .
- قسم الصيانة .
- ورشة التصنيع .

ثانياً الإدارات

- الإدارة المالية .
- إدارة التكاليف ومراقبة المخزون .
- إدارة الموارد البشرية .
- إدارة المشتريات .
- إدارة المبيعات والتسويق .
- إدارة التصدير .
- إدارة المرافق الداخلية والتشيد .



ALUMINIUM PROFILES


قطاعات الألومنيوم


▶ NC - PROFILES

We manufacture and produce NC profiles systems, which include the sliding and hinged systems of windows and doors.


◀ قطاعات - NC

نقوم بتصنيع وإنتاج أنظمة قطاعات NC والتي تشمل أنظمة الجرار والمفصلي للابواب والنوافذ







NC 1210
Weight: 0.590 KG/M




NC 1215
Weight: 0.904 KG/M




NC 1216
Weight: 0.494 KG/M




NC 1219
Weight: 0.390 KG/M




NC 1221
Weight: 0.313 KG/M




NC 1227
Weight: 0.650 KG/M




NC 1228
Weight: 0.545 KG/M




NC 1339
Weight: 0.534 KG/M




NC 1340
Weight: 0.668 KG/M



NC 1258
Weight: 0.170 KG/M




NC 1339A
Weight: 0.595 KG/M




NC 1340A
Weight: 0.728 KG/M


NC 80 - Profiles (Sliding System)




NC 1381
Weight: 0.947 KG/M




NC 1515
Weight: 0.250 KG/M



NC 2322
Weight: 0.755 KG/M




AM 116
Weight: 0.243 KG/M




NC 2322A
Weight: 0.825 KG/M




NC - PROFILES HINGED SYSTEM




AM 119
Weight: 0.540 KG/M




AM 120
Weight: 0.760 KG/M




NC 1369
Weight: 0.335 KG/M




NC 1370
Weight: 0.355 KG/M




NC 1370 B
Weight: 0.475 KG/M




NC 1371
Weight: 0.290 KG/M




NC 1372
Weight: 0.425 KG/M




NC 1373
Weight: 0.425 KG/M




NC 1374
Weight: 0.135 KG/M



NC 1375
Weight: 0.361 KG/M




NC 1376 B
Weight: 0.730 KG/M




NC 1380
Weight: 0.950 KG/M


NC 40 - PROFILES (HINGED SYSTEM)




NC 1409
Weight: 0.430 KG/M




NC 1410
Weight: 0.150 KG/M




NC 1412
Weight: 0.508 KG/M




NC 1413
Weight: 0.508 KG/M




NC 1435
Weight: 0.508 KG/M




NC 1453
Weight: 0.340 KG/M




NC 1479
Weight: 0.432 KG/M




NC 1484
Weight: 0.180 KG/M




NC 1504
Weight: 0.100 KG/M



NC 1479 B
Weight: 0.475 KG/M




NC 1503
Weight: 0.108 KG/M




NC 1517
Weight: 0.125 KG/M


NC 40 - PROFILES (HINGED SYSTEM)



 **NC 5504**
Weight: 0.230 KG/M



 **NC 1471**
Weight: 0.520 KG/M




 **NC 2471**
Weight: 0.560 KG/M




**DECORATION
PROFILES**

DECORATION PROFILES




C 10

Weight: 0.320 KG/M



B 6414

Weight: 0.500 KG/M



B 6513

Weight: 0.275 KG/M




KITCHEN PROFILES

We have complete Kitchen Profile Systems that are produced and manufactured IN-HOUSE, and we have the capabilities of designing specific profiles for our client's kitchen needs. We also have the facilities to fabricate kitchen designs to meet our client's needs.


قطاعات المطابخ

تقوم الشركة بانتاج افضل قطاعات المطابخ الحديثة التي تعطي لمسة جمالية في تصميم وتصنيع المطابخ , ولدينا ورشة تصنيع تقوم بتصميم وتصنيع افضل المطابخ لتلبية احتياجات السوق




IF 106

Weight: 0.190 KG/M




IF 111

Weight: 0.210 KG/M




IF 119

Weight: 0.270 KG/M




IF 133

Weight: 0.260 KG/M




IF 134

Weight: 0.260 KG/M




IF 135

Weight: 0.210 KG/M




IF 120

Weight: 0.264 KG/M




IF 121

Weight: 0.288 KG/M




IF 122

Weight: 0.280 KG/M




IF 138

Weight: 0.302 KG/M




IF 140

Weight: 0.310 KG/M




IF 144

Weight: 0.297 KG/M




IF 123

Weight: 0.200 KG/M




IF 131

Weight: 0.260 KG/M




IF 132

Weight: 0.261 KG/M




IF 145

Weight: 0.336 KG/M




IF 146

Weight: 0.295 KG/M




IF 147


Weight: 0.270 KG/M




▶ **IF 522**
Weight: 0.337 KG/M




▶ **IF 523**
Weight: 0.337 KG/M




▶ **IF 550**
Weight: 0.248 KG/M




▶ **IF 563**
Weight: 0.265 KG/M




▶ **IF 564**
Weight: 0.340 KG/M




▶ **IF 566**
Weight: 0.260 KG/M




▶ **IF 550 A**
Weight: 0.228 KG/M




▶ **IF 552**
Weight: 0.278 KG/M




▶ **IF 553**
Weight: 0.275 KG/M




▶ **IF 567**
Weight: 0.275 KG/M




▶ **IF 584**
Weight: 0.326 KG/M




▶ **IF 585**
Weight: 0.100 KG/M




▶ **IF 555**
Weight: 0.073 KG/M




▶ **IF 560**
Weight: 0.276 KG/M




▶ **IF 562**
Weight: 0.286 KG/M



▶ **IF 587**
Weight: 0.264 KG/M




▶ **IF 586**
Weight: 0.420 KG/M




▶ **IF 588**
Weight: 0.258 KG/M

KITCHEN PROFILES




▶ **IF 589**
Weight: 0.375 KG/M




▶ **IF 521**
Weight: 0.378 KG/M


CUPBOARD PROFILES




▶ **IF 579**
Weight: 0.070 KG/M



▶ **IF 568**
Weight: 0.398 KG/M



▶ **IF 580**
Weight: 0.230 KG/M



▶ **IF 581**
Weight: 0.275 KG/M

STANDARD PROFILES

BOX, ANGLED, TUBE, and OTHER PROFILES


We produce and manufacture all the market's standard aluminium profiles including and not limited to Box Profiles, Angled Profiles, Tube Profiles and 'U' and 'F' Profiles .

القطاعات الاساسية


قطاعات العلب والزوايا والمواسير والقطاعات الاخرى

نقوم بتصنيع وانتاج جميع قطاعات الألومنيوم الاساسية في السوق بما في ذلك قطاعات العلب مربع، وقطاعات الزوايا ، وقطاعات المواسير ، وقطاعات F وقطاعات U


STANDARD PROFILES (ANGLED PROFILES)




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3015	15	15	0.60	0.047 kg/m
ST 3015 A	15	15	1.00	0.078 kg/m
ST 3020	20	20	0.60	0.065 kg/m
ST 3020 A	20	20	1.00	0.105 kg/m
ST 3025	25	25	0.65	0.087 kg/m
ST 3025	25	25	1.00	0.132 kg/m
ST 3030	30	30	0.65	0.103 kg/m
ST 3030 A	30	30	1.00	0.158 kg/m



PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3040	40	40	0.75	0.159 kg/m
ST 3040 A	40	40	1.00	0.245 kg/m
ST 3050	50	50	0.80	0.213 kg/m
ST 3050 A	50	50	1.00	0.266 kg/m
ST 3023	30	20	2.5	0.318 kg/m
ST 3033	30	30	2.8	0.432 kg/m
ST 2040	40	20	0.70	0.110 kg/m
ST 2040 A	40	20	1.00	0.150 kg/m




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3015	15	15	0.60	0.047 kg/m
ST 3015 A	15	15	1.00	0.078 kg/m
ST 3020	20	20	0.60	0.065 kg/m
ST 3020 A	20	20	1.00	0.105 kg/m
ST 3025	25	25	0.65	0.087 kg/m
ST 3025	25	25	1.00	0.132 kg/m
ST 3030	30	30	0.65	0.103 kg/m
ST 3030 A	30	30	1.00	0.158 kg/m




PROFILE NO	A	B	T	WEIGHT Kg/m
ST 3040	40	40	0.75	0.159 kg/m
ST 3040 A	40	40	1.00	0.245 kg/m
ST 3050	50	50	0.80	0.213 kg/m
ST 3050 A	50	50	1.00	0.266 kg/m
ST 3023	30	20	2.5	0.318 kg/m
ST 3033	30	30	2.8	0.432 kg/m
ST 2040	40	20	0.70	0.110 kg/m
ST 2040 A	40	20	1.00	0.150 kg/m


STANDARD PROFILES (TUBE PROFILES)




ST 4030
Weight: 0.224 KG/M




ST 4040
Weight: 0.275 KG/M




ST 4520
Weight: 0.370 KG/M



ST 4540
Weight: 0.207 KG/M




ST 4580
Weight: 0.450 KG/M




ST 4590
Weight: 0.480 KG/M


STANDARD PROFILES (U AND F PROFILES)




ST 6008
Weight: 0.051 KG/M



ST 6016
Weight: 0.105 KG/M




ST 6016 A
Weight: 0.081 KG/M




ST 6016 B
Weight: 0.078 KG/M


STANDARD PROFILES (U AND F PROFILES)




ST 7004
Weight: 0.125 KG/M



IF 136
Weight: 0.086 KG/M



IF 137
Weight: 0.130 KG/M



IF 141
Weight: 0.097 KG/M



PS PROFILES

We meet the local market's needs with PS profiles, which include the profile systems for windows, doors, and curtain walls. We manufacture these in both the sliding and hinged systems.


- ◆ SLIDING: 9600, 6600
- ◆ HINGED: 5600, 4800

القطاعات - PS


نقوم بتلبية احتياجات السوق PS والتي تشمل نظام القطاعات للنوافذ المحلية من قطاعات والأبواب، و الستار. نقوم بتصنيع هذه القطاعات بنظامي الجرار والمفصلي

- ◆ النظام الجرار : 9600 , 6600
- ◆ النظام المفصلي : 5600 , 4800


PS 6600 PROFILES (SLIDING SYSTEM)




PS 6600
Weight: 0.758 KG/M




PS 6601
Weight: 0.900 KG/M




PS 6621
Weight: 1.012 KG/M




PS 6606
Weight: 0.341 KG/M




PS 6606 A
Weight: 0.372 KG/M




PS 6613
Weight: 0.115 KG/M




PS 6622
Weight: 0.870 KG/M




PS 6652
Weight: 0.945 KG/M




PS 6648
Weight: 0.630 KG/M



PS 6602
Weight: 0.550 KG/M




PS 6607
Weight: 0.520 KG/M




PS 6603
Weight: 0.223 KG/M


PS 9600 PROFILES (SLIDING SYSTEM)




PS 9601
Weight: 1.130 KG/M




PS 9632
Weight: 1.19 0KG/M




PS 9642
Weight: 1.330 KG/M




PS 9652
Weight: 1.330 KG/M




PS 9602
Weight: 0.726 KG/M




PS 9607
Weight: 0.690 KG/M




PS 9603
Weight: 0.329 KG/M




PS 9606
Weight: 0.460 KG/M




PS 9604
Weight: 0.250 KG/M



PS 9623
Weight: 0.245 KG/M




PS 9624
Weight: 0.250 KG/M




PS 5606
Weight: 0.915 KG/M

PS 4800 PROFILES (HINGED SYSTEM)




PS 4800
Weight: 0.590 KG/M




PS 4805
Weight: 0.490 KG/M


PS 4800 PROFILES (HINGED SYSTEM)




PS 4800
Weight: 0.590 KG/M




PS 4805
Weight: 0.490




PS 4807
Weight: 0.580KG/M




PS 4808
Weight: 0.705 KG/M




PS 4809
Weight: 0.480 KG/M




PS 4810
Weight: 0.690 KG/M




PS 4810A
Weight: 0.710 KG/M




PS 4811
Weight: 0.155 KG/M




PS 4812
Weight: 0.149 KG/M




PS 4814
Weight: 0.632 KG/M




PS 4815
Weight: 0.666 KG/M




PS 4816
Weight: 0.860 KG/M




PS 4817
Weight: 1.015 KG/M



PS 4822
Weight: 0.635 KG/M




PS 4822A
Weight: 0.656 KG/M




PS 4888
Weight: 0.765 KG/M

PS 5600 PROFILES (HINGED SYSTEM)




PS 5606

Weight: 0.969 KG/M




PS 5607

Weight: 0.815 KG/M




PS 5608

Weight: 0.970 KG/M




PS 5609

Weight: 0.660 KG/M




PS 5610

Weight: 0.896 KG/M




PS 5611

Weight: 0.181 KG/M




PS 5613

Weight: 0.160 KG/M



PS 5615

Weight: 0.890 KG/M



PS 5677

Weight: 0.800 KG/M




SPECIAL PROFILES


We have been able to meet our clients special design requirements and market needs. We have set ourselves apart from our competition in both the local and international market by adhering to strict quality control and assurance regulations to ensure that the client's needs are being met. Our deliverables to our clients includes a strict deliverables system, which ensures the client's involvement throughout the delivery process from design to production to fabrication.

القطاعات الخاصة


لدينا القدرة على تلبية متطلبات عملائنا من التصميم الخاص واحتياجات السوق. لقد وضعنا أنفسنا بعيدا عن منافسينا في كل من السوق المحلية والدولية من خلال الالتزام في مراقبة الجودة وضمان اللوائح لضمان تلبية احتياجات العميل. وتشمل عمليات التسليم لعملائنا نظام تسليم حازم ، والذي يضمن مشاركة العميل في جميع مراحل عملية التسليم من التصميم إلى الإنتاج إلى التصنيع




▶ **JS 1040**
Weight: 0.920 KG/M




▶ **JS 1042**
Weight: 0.920 KG/M




▶ **JS 1031**
Weight: 1.360 KG/M




▶ **JS 1050**
Weight: 0.405 KG/M




▶ **JS 2227**
Weight: 0.460 KG/M




▶ **JS 8085**
Weight: 0.340 KG/M




▶ **JS 1085**
Weight: 1.020 KG/M




▶ **JS 6023**
Weight: 1.370 KG/M



▶ **JS 6085**
Weight: 0.347 KG/M




▶ **JS 6050**
Weight: 0.285 KG/M



▶ **JS 6042**
Weight: 0.850 KG/M



▶ **AT 03**
Weight: 0.110 KG/M




▶ **AT 07**
Weight: 0.350 KG/M




▶ **AT 14**
Weight: 0.190 KG/M




▶ **AT 23**
Weight: 0.191 KG/M




▶ **CA 03**
Weight: 0.297 KG/M




▶ **EGY 01**
Weight: 0.670 KG/M



▶ **EGY 02**
Weight: 0.491 KG/M



▶ **GR 01**
Weight: 0.980 KG/M



▶ **GR 02**
Weight: 0.740 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER

SPECIAL PROFILES



▶ **DD 01**
Weight: 1.285 KG/M




▶ **DD 02**
Weight: 1.190 KG/M



▶ **DD 03**
Weight: 0.826 KG/M




▶ **DD 04**
Weight: 1.150 KG/M




▶ **M-944**
Weight: 0.777 KG/M



▶ **M-946**
Weight: 0.226 KG/M



▶ **MV-203**
Weight: 1.040 KG/M




▶ **MH 01**
Weight: 0.310 KG/M



▶ **MRC 01**
Weight: 0.049KG/M


THE PROFILES OWNED BY SPECIFIC CUSTOMER




▶ **ESE 01**
Weight: 0.745 KG/M




▶ **SM 01**
Weight: 0.450 KG/M




▶ **TR 01**
Weight: 0.115 KG/M



▶ **LORD 01**
Weight: 0.158 KG/M



▶ **MTK 01**
Weight: 0.146 KG/M




▶ **MTK 02**
Weight: 0.259 KG/M



▶ **SEGMA 01**
Weight: 0.055 KG/M




▶ **SEGMA 02**
Weight: 0.705 KG/M



▶ **SEGMA 03**
Weight: 0.445 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER

SPECIAL PROFILES




BE 04

Weight: 0.292 KG/M




BE 05

Weight: 0.275 KG/M



BR 01

Weight: 0.243 KG/M



UNI 01

Weight: 0.430 KG/M



UNI 15

Weight: 0.316 KG/M




UNI 28

Weight: 0.533 KG/M




UNI 29

Weight: 0.581 KG/M



UNI 42


Weight: 0.355 KG/M



MO 01


Weight: 0.545KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER




EC 01

Weight: 0.314 KG/M



EC 02

Weight: 0.365 KG/M



MG 124

Weight: 0.460 KG/M




SP 01

Weight: 0.603 KG/M



SP 02

Weight: 0.758 KG/M



SP 1108

Weight: 0.337 KG/M



EMA 01

Weight: 0.063 KG/M



EMA 02

Weight: 0.504 KG/M



EMA 03

Weight: 0.095 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER

SPECIAL PROFILES




CL 01

Weight: 0.109 KG/M




CL 02

Weight: 0.123 KG/M




WM 01

Weight: 0.521 KG/M




WM 02

Weight: 0.438 KG/M



SG 01

Weight: 1.710 KG/M




SG 02

Weight: 1.210 KG/M




EL 01

Weight: 0.513 KG/M



EL 02


Weight: 2.130 KG/M



SM 01


Weight: 0.167 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER



SR 02

Weight: 0.332 KG/M



KR 04

Weight: 0.435 KG/M



SHK 01

Weight: 0.121 KG/M




FN 01

Weight: 0.202 KG/M




FN 02

Weight: 0.063 KG/M



FN 03

Weight: 0.875 KG/M




BM 60

Weight: 0.139 KG/M



SGM 21


Weight: 0.276 KG/M



SGM 22


Weight: 0.661 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER




SGM 23

Weight: 0.1466 KG/M




SGM 24

Weight: 0.429 KG/M




EF 01

Weight: 1.540 KG/M



NG 01

Weight: 1.110 KG/M



NG 02

Weight: 0.850 KG/M




MZ 01

Weight: 0.117 KG/M




MZ 02

Weight: 0.143 KG/M



PRO 01


Weight: 0.895 KG/M



PRO 02


Weight: 0.210 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER



ST 4140

Weight: 0.966 KG/M



SF 01

Weight: 1.082 KG/M




SF 02

Weight: 1.340 KG/M




BRS 01

Weight: 0.193 KG/M



BRS 02

Weight: 0.470 KG/M



BRS 03

Weight: 0.322 KG/M



BRS 04

Weight: 0.077 KG/M



BRS 05

Weight: 0.585 KG/M



BRS 06

Weight: 0.096 KG/M


THE PROFILES OWNED BY SPECIFIC CUSTOMER

SPECIAL PROFILES




BRS 06 A

Weight: 0.110 KG/M



BRS 07

Weight: 0.385 KG/M




BRS 07 A

Weight: 0.420 KG/M




BRS 08

Weight: 0.079 KG/M




BRS 10

Weight: 0.275 KG/M




BRS 11

Weight: 0.470 KG/M




BRS 12

Weight: 0.521 KG/M



BRS 13

Weight: 0.560 KG/M



BRS 14




Weight: 0.625 KG/M

THE PROFILES OWNED BY SPECIFIC CUSTOMER






ALUMINUM SHUTTER

ALUMINUM SHUTTER



- MR 501**
Weight: 0.270 KG/M
- MR 502**
Weight: 0.330 KG/M
- MR 503**
Weight: 0.254 KG/M



- MR 504**
Weight: 0.504 KG/M
- MR 505**
Weight: 0.509 KG/M
- MR 506**
Weight: 0.198 KG/M




EXPORT PROFILES


We have been successful in exporting to the Gulf, North Africa and Europe. Today, our export customers are return customers of which some are exclusively using our product lines. We are a growing factory, and we take pride in our product and efforts with the ambition of continued success in the surrounding markets.

قطاعات التصدير


لقد نجحنا في التصدير إلى منطقة الخليج وشمال أفريقيا وأوروبا. اليوم، عملاء التصدير لدينا يستخدمون حصريا خطوط الإنتاج الخاصة بنا. فمصنعنا ينمو بشكل سريع، ونحن نفخر في منتجاتنا وجهودنا وطموحنا في استمرار النجاح في الأسواق المحيطة




GRE 01
Weight: 0.431 KG/M




GRE 02
Weight: 1.285 KG/M




SOLAR 01
Weight: 0.408 KG/M




MR 479
Weight: 0.520 KG/M




MR 458
Weight: 0.520 KG/M




MR 140
Weight: 0.450 KG/M




KW 05
Weight: 0.197 KG/M
INVISIBLE - PROFILE




KW 06
Weight: 0.202 KG/M
U - PROFILE




KW 07
Weight: 0.172 KG/M
CHAIR - PROFILE




MR 465
Weight: 0.350 KG/M




MR 498
Weight: 0.150 KG/M



MR 432
Weight: 0.190 KG/M




KW 08
Weight: 0.389 KG/M
JOINT - PROFILE




KW 09
Weight: 0.180 KG/M
SLIDE IN CHANNEL




KW 10
Weight: 0.300 KG/M
STIFFING ROD




MR 461
Weight: 0.400KG/M




MR 462
Weight: 0.400 KG/M




MR 463
Weight: 0.400 KG/M




MR 326
Weight: 0.500 KG/M




MR 327
Weight: 0.500 KG/M




MR 325
Weight: 0.400 KG/M




MR 407
Weight: 0.200 KG/M




MR 468
Weight: 0.320 KG/M




MR 467
Weight: 0.400 KG/M




MR 468
Weight: 0.320 KG/M




MR 412
Weight: 0.350 KG/M




MR 410
Weight: 0.400 KG/M




MR 652
Weight: 0.350 KG/M




MR 413
Weight: 0.460 KG/M




MR 250
Weight: 0.256 KG/M




MR 251
Weight: 0.200 KG/M




MR 224
Weight: 0.630 KG/M




MR 225
Weight: 0.575 KG/M




MR 226
Weight: 0.475KG/M




MR 227
Weight: 0.485 KG/M




MR 228
Weight: 0.378 KG/M




MR 234
Weight: 0.455 KG/M




MR 235
Weight: 0.491 KG/M




MR 236
Weight: 0.450 KG/M




MR 304
Weight: 0.317 KG/M




MR 305
Weight: 0.432 KG/M




MR 306
Weight: 0.352 KG/M




MR 266
Weight: 1.048 KG/M




MR 602
Weight: 0.855 KG/M




MR 601
Weight: 0.411 KG/M




MR 307
Weight: 0.066 KG/M




MR 308
Weight: 0.230 KG/M




MR 309
Weight: 0.626 KG/M



MR 301
Weight: 0.334 KG/M




MR 302
Weight: 0.358 KG/M




MR 303
Weight: 0.263 KG/M




MR 401
Weight: 0.403 KG/M



MR 249
Weight: 0.463 KG/M




MR 253
Weight: 0.371 KG/M




MR 255

Weight: 0.479 KG/M




MR 262

Weight: 0.646 KG/M




MR 661

Weight: 0.536 KG/M




MR 602

Weight: 0.855 KG/M




MR 662

Weight: 0.040 KG/M




MR 663

Weight: 0.680 KG/M




MR 665

Weight: 0.265 KG/M




MR 666

Weight: 0.256 KG/M




MR 667

Weight: 0.308 KG/M




MR 801

Weight: 0.875 KG/M




MR 802

Weight: 0.618 KG/M




MR 803

Weight: 0.618 KG/M




MR 668

Weight: 0.384 KG/M




MR 432

Weight: 0.190 KG/M




MR 601

Weight: 0.411 KG/M




MR 804

Weight: 0.618 KG/M




MR 805

Weight: 0.632 KG/M




MR 806


Weight: 0.580 KG/M




MR 807
Weight: 0.475 KG/M




MR 901
Weight: 0.148 KG/M




MR 902
Weight: 0.745 KG/M




MR 903
Weight: 0.843 KG/M




MR 905
Weight: 0.470 KG/M




MR 909
Weight: 0.499 KG/M




MR 910
Weight: 0.501 KG/M




MR 911
Weight: 0.053 KG/M




MR 912
Weight: 0.485 KG/M




MR 913
Weight: 0.226 KG/M




MR 914
Weight: 0.192 KG/M




MR 701
Weight: 0.640 KG/M




MR 702
Weight: 0.722 KG/M




MR 703
Weight: 0.640 KG/M




MR 704
Weight: 0.865 KG/M




MR 705
Weight: 0.750 KG/M



MR 709
Weight: 0.935 KG/M




MR 707
Weight: 0.207 KG/M




MR 708

Weight: 0.766 KG/M




MR 1304

Weight: 1.245 KG/M




MR 1305

Weight: 0.566 KG/M




MR 1316

Weight: 0.823 KG/M




MR 1321

Weight: 0.830 KG/M




MR 310

Weight: 0.378 KG/M




MR 1307

Weight: 0.184 KG/M




MR 1308

Weight: 0.268 KG/M




MR 1310

Weight: 0.188 KG/M




MR 267

Weight: 1.055 KG/M




ST 2040

Weight: 0.150 KG/M




ST 3015 A

Weight: 0.078 KG/M




MR 1311

Weight: 0.155 KG/M




MR 1312

Weight: 0.208 KG/M




MR 1313

Weight: 0.175 KG/M




ST 3020 A

Weight: 0.105 KG/M




ST 3025

Weight: 0.132 KG/M




ST 3050


Weight: 0.205 KG/M




▶ HSB 01
Weight: 0.161 KG/M




▶ HSB 01 A
Weight: 0.475 KG/M




▶ HSB 06
Weight: 1.619 KG/M




▶ HSB 07
Weight: 0.784 KG/M




▶ HSB 07 B
Weight: 0.993 KG/M




▶ HSB 14
Weight: 0.223 KG/M




▶ HSB 15
Weight: 0.342 KG/M




▶ HSB 15 A
Weight: 0.355 KG/M




▶ HSB 19 A
Weight: 0.533 KG/M




▶ HSB 19 C
Weight: 0.688 KG/M



▶ HSB 36
Weight: 0.216 KG/M




▶ HSB 41 B
Weight: 1.213 KG/M




▶ HSB 27 B
Weight: 1.097 KG/M


▶ HSB 27 C
Weight: 1.023 KG/M




▶ HSB 40
Weight: 1.051 KG/M




▶ HSB 41 A
Weight: 0.947 KG/M




▶ HSB 42
Weight: 0.171 KG/M




▶ HSB 43
Weight: 0.369 KG/M




▶ HSB 46
Weight: 0.298 KG/M




▶ HSB 09
Weight: 0.456 KG/M




▶ HSB 13
Weight: 0.223 KG/M




▶ HSB 18
Weight: 1.343 KG/M




▶ HSB 20
Weight: 1.166 KG/M




▶ HSB 21
Weight: 1.130 KG/M




▶ HSB 22
Weight: 1.376 KG/M




▶ HSB 24 A
Weight: 0.748 KG/M




▶ HSB 25
Weight: 0.835 KG/M




▶ HSB 26
Weight: 0.660 KG/M




▶ HSB 27 B
Weight: 0.687 KG/M




▶ HSB 17
Weight: 0.904 KG/M




▶ HSB 42 B
Weight: 0.143 KG/M




▶ HSB 43 B
Weight: 0.275 KG/M




▶ HSB 46 A
Weight: 0.216 KG/M




▶ HSB 31 A
Weight: 1.559 KG/M




▶ HSB 31 B
Weight: 1.602 KG/M




▶ HSB 51
Weight: 1.695 KG/M




▶ HSB 52
Weight: 1.518 KG/M




▶ HSB 54
Weight: 0.231 KG/M




▶ HSB 55A
Weight: 0.191 KG/M




▶ C 2
Weight: 0.288 KG/M




▶ C 3
Weight: 0.324 KG/M




▶ C 4
Weight: 0.365 KG/M




▶ HSB 56 A
Weight: 1.139 KG/M




▶ YAM 01
Weight: 0.535 KG/M




▶ YAM 02
Weight: 0.332 KG/M




▶ C 5
Weight: 0.385 KG/M




▶ C 6
Weight: 0.255 KG/M




▶ C 7
Weight: 0.279 KG/M




▶ YAM 03
Weight: 0.535 KG/M




▶ YAM 04
Weight: 0.268 KG/M




▶ C 1
Weight: 0.365 KG/M




▶ C 8
Weight: 0.089 KG/M




▶ C 9
Weight: 0.455 KG/M




▶ C 12
Weight: 0.400 KG/M




501
Weight: 0.265 KG/M




502
Weight: 0.229 KG/M




HSB 511
Weight: 0.545 KG/M




1.014
Weight: 0.721 KG/M




1.070
Weight: 0.785 KG/M




1.071
Weight: 0.857 KG/M




514
Weight: 0.855 KG/M




515
Weight: 0.730 KG/M




516
Weight: 0.680 KG/M




1.156
Weight: 0.883 KG/M




1.157
Weight: 0.665 KG/M




1.159
Weight: 0.159 KG/M




517
Weight: 0.780 KG/M




548
Weight: 0.625 KG/M




903
Weight: 0.735 KG/M




1.161
Weight: 0.840 KG/M




1200
Weight: 0.702 KG/M




1201
Weight: 0.875 KG/M




1202
Weight: 0.730 KG/M




3637
Weight: 0.213 KG/M




3937
Weight: 0.440 KG/M




S 4003
Weight: 0.545 KG/M




S 4008
Weight: 0.235 KG/M




S 5002
Weight: 0.159 KG/M




S 5004
Weight: 0.208 KG/M




CONGO 01
Weight: 0.865 KG/M




CONGO 02
Weight: 0.775 KG/M




MR 1300
Weight: 0.515 KG/M




MR 1301
Weight: 0.518 KG/M




MR 1314
Weight: 0.440 KG/M




MR 1302
Weight: 0.559 KG/M




MR 1315
Weight: 0.804 KG/M




MR 1317
Weight: 1.180 KG/M




MR 1318
Weight: 0.685 KG/M



MR 3357
Weight: 0.632 KG/M



MR 3437
Weight: 0.486 KG/M



MR 3537
Weight: 0.470 KG/M



OUR LOCATIONS

HEAD OFFICE

📍 6 Boutrous Ghali Street, Roxy, Heliopolis ,Cairo. Egypt.

☎ +202- 22588451

📠 +202- 22588452

FACTORY

📍 Lot # 164 To 169 Industrial Area Extension,
6th of October City, Giza, Egypt

☎ +202- 238337709 / +202- 238337710

📠 +202- 38313474

✉ info@caluminium.com

🌐 www.caluminium.com

